$1.50 CAN.

AMSOIL®

FACTORY-DIRECT CATALOG

NEW kits cover the Milwaukee-Eight engine & provide black filter option.

Free Shipping on Orders of $130 or More. See page 3 for details.

Product Index

Motor Oil	4
European Motor Oil	8
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Briggs & Stratton Synthetic 4T Racing Oil/Oil Analysis	15
ATV/UTV Oil/Snowmobile Oil	16
Dirt Bike Oil	18
Suspension Fluid	19
Motorcycle Oil	20
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	34
Grease	36
Air Tool Oil	38
Bar and Chain Oil/ Compressor Oil/Fuel Additives	39
Engine and Transmission Flush	44
Metal Protector/Coolant/ Coolant Boost	45
Firearm Lubricant/Power Steering Fluid	46
Aftermarket Partners	47

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Free Shipping on orders of $130 or more.*

BECOME AN AMSOIL PREFERRED CUSTOMER FOR EVEN MORE GREAT BENEFITS:

Reduced Pricing
Save up to 25 percent on every order.

Free Shipping

Special Offers
Preferred Customers receive exclusive promotions.

Free Gear
Randomly receive free hats, shirts or other gear when you place an order.

P.C. Points
Earn points on all purchases. Every 50 points earned is redeemable for $1 off a future order.

Referral Rewards
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at www.amsoil.com/pc today and use this referral number. ▼

Referral #_____

496466

**Orders below that threshold pay a flat shipping rate of $11.99. Exclusions apply. See the shipping & handling policy at www.amsoil.com/storefront/shippinginformation.aspx*

TECHNICAL QUESTIONS
(715) 399-8324 or tech@amsoil.com

SHIPPING AND HANDLING
Free shipping on orders of $130 or more. Orders below that threshold pay a flat shipping rate of $11.99. Exclusions apply. See the shipping & handling policy at www.amsoil.com/storefront/shippinginformation.aspx.

PRODUCT DAMAGED DURING SHIPPING
If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-956-5695 for instructions.

SALES TAX INFORMATION
AMSOIL INC. has an established sales tax rate for each province.

NOTE:
A General Sales Tax (GST) of 5% will be charged on all Canadian purchases. Only provincial governments are exempt. GST will be charged on the purchase price and the freight costs. In the provinces of Quebec, Prince Edward Island and New Brunswick the provincial sales tax will be charged on the GST. Freight charges are subject to sales tax on all orders.

Prices subject to change without notice.

WHY BUY SIGNATURE SERIES?

Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 160,934-km test[P]. AMSOIL provided far superior wear protection and kept bearings looking like new.

[P]Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.





Signature Series Fights Viscosity Breakdown

AMSOIL fights viscosity breakdown **46%[O] better** than Mobil 1, providing superior protection of pistons, cams and bearings.

[O]Based on independent testing of Mobil 1 Annual Protection Full Synthetic and AMSOIL Signature Series 5W-30 in the Kurt Orbahn Test. Oils purchased on 5/3/18.

Signature Series Neutralizes Acids

AMSOIL Signature Series is fortified with a heavy treatment of detergent additive and it delivers **30% more** acid neutralizing power[E] than Mobil 1*, and **36% more** than Royal Purple*, helping engines to stay cleaner, longer.

[E]Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30, Royal Purple High Performance 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased 05/03/18.





Signature Series Helps Keep Valves Clean

AMSOIL fights volatility[U] **38% better** than Mobil 1 and **17% better** than Royal Purple, helping reduce oil consumption and keep valves clean.

[U]Based on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1 Advanced Synthetic 5W-20, Royal Purple High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.

Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.[B]

[B]Based on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Signature Series Guards Turbos

Protects turbochargers **72% better** than required[C] by the GM dexos1® Gen 2 specification.

[C]Based on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents[D] to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge.[DD]

[D]vs. AMSOIL OE Motor Oil [DD]Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Signature Series Fights Wear
75% more engine protection
against horsepower loss and wear.[A]
[A]Based on independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN specification.

SIGNATURE SERIES

SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 40,200 kilometers or 1 year, whichever comes first.

0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQTC	EA	(1) 946-ml Bottle	12.70	15.65
ASMQTC	CA	(12) 946-ml Bottles	144.90	186.60
ASM1GC	EA	(1) 3.78-litre Bottle	49.35	60.85
ASM1GC	CA	(4) 3.78-litre Bottles	187.95	241.80

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQTC	EA	(1) 946-ml Bottle	12.70	15.65
ALMQTC	CA	(12) 946-ml Bottles	144.90	186.60
ALM1GC	EA	(1) 3.78-litre Bottle	49.35	60.85
ALM1GC	CA	(4) 3.78-litre Bottles	187.95	241.80

0W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOQTC	EA	(1) 946-ml Bottle	12.70	15.65
AZOQTC	CA	(12) 946-ml Bottles	144.90	186.60

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQTC	EA	(1) 946-ml Bottle	12.70	15.65
ASLQTC	CA	(12) 946-ml Bottles	144.90	186.60
ASL1GC	EA	(1) 3.78-litre Bottle	49.35	60.85
ASL1GC	CA	(4) 3.78-litre Bottles	187.95	241.80

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQTC	EA	(1) 946-ml Bottle	12.70	15.65
ATMQTC	CA	(12) 946-ml Bottles	144.90	186.60

0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQTC	EA	(1) 946-ml Bottle	12.70	15.65
AZFQTC	CA	(12) 946-ml Bottles	144.90	186.60

5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQTC	EA	(1) 946-ml Bottle	12.70	15.65
AMRQTC	CA	(12) 946-ml Bottles	144.90	186.60

*Based on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation.

XL

BOOSTED ENGINE PROTECTION AND PERFORMANCE

XLZ XLM XLF XLT XLO

For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. **Provides 64% more protection against oil breakdown[F] than required by the GM dexos1* Gen 2 specification**. Extra protection that lasts up to 19,300 kilometers or 1 year, whichever comes first.

0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQTC	EA	(1) 946-ml Bottle	9.50	11.75
XLZQTC	CA	(12) 946-ml Bottles	108.40	139.80
XLZ1GC	EA	(1) 3.78-litre Bottle	37.15	45.85
XLZ1GC	CA	(4) 3.78-litre Bottles	141.35	181.80

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQTC	EA	(1) 946-ml Bottle	9.50	11.75
XLMQTC	CA	(12) 946-ml Bottles	108.40	139.80
XLM1GC	EA	(1) 3.78-litre Bottle	37.15	45.85
XLM1GC	CA	(4) 3.78-litre Bottles	141.35	181.80

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQTC	EA	(1) 946-ml Bottle	9.50	11.75
XLFQTC	CA	(12) 946-ml Bottles	108.40	139.80
XLF1GC	EA	(1) 3.78-litre Bottle	37.15	45.85
XLF1GC	CA	(4) 3.78-litre Bottles	141.35	181.80

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQTC	EA	(1) 946-ml Bottle	9.50	11.75
XLTQTC	CA	(12) 946-ml Bottles	108.40	139.80

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	EA	(1) 946-ml Bottle	9.50	11.75
XLOQT	CA	(12) 946-ml Bottles	108.40	139.80

"Put this in my light duty, full size pickup. Noticeable difference right away. Engine quieter and clean."

– Jim P
Northern VA

[F]Based on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

OE ADVANCED ENGINE PROTECTION

OES | OEZ | OEM | OEF | OET

Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection**.[G] Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	EA	(1) 946-ml Bottle	7.20	8.90
OESQT	CA	(12) 946-ml Bottles	81.90	105.60

0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQTC	EA	(1) 946-ml Bottle	7.20	8.90
OEZQTC	CA	(12) 946-ml Bottles	81.90	105.60
OEZ1GC	EA	(1) 3.78-litre Bottle	28.00	34.65
OEZ1GC	CA	(4) 3.78-litre Bottles	106.50	137.00

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQTC	EA	(1) 946-ml Bottle	7.20	8.90
OEMQTC	CA	(12) 946-ml Bottles	81.90	105.60
OEM1GC	EA	(1) 3.78-litre Bottle	28.00	34.65
OEM1GC	CA	(4) 3.78-litre Bottles	106.50	137.00

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQTC	EA	(1) 946-ml Bottle	7.20	8.90
OEFQTC	CA	(12) 946-ml Bottles	81.90	105.60
OEF1GC	EA	(1) 3.78-litre Bottle	28.00	34.65
OEF1GC	CA	(4) 3.78-litre Bottles	106.50	137.00

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQTC	EA	(1) 946-ml Bottle	7.20	8.90
OETQTC	CA	(12) 946-ml Bottles	81.90	105.60

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits 946-ml and 3.78-litre bottles.

STOCK#	P.C. PRICE	FULL PRICE
G1230	0.95	1.00

[G]Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.

PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL European Car Formula features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

European Car Formula Synthetic Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- **Outstanding** All-Season Performance
- **Engineered** for Maximum Fuel Economy
- **Enhanced** Turbocharger Protection

"My engine sounds better than it ever has. My BMW* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

– Tom
Atlanta, Ga.

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

EUROPEAN CAR FORMULA

European Car Formula 5W-30 Improved Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: VW 504.00/507.00
Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 • Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQTC	EA	(1) 946-ml Bottle	13.55	16.65
AELQTC	CA	(12) 946-ml Bottles	154.35	198.60

European Car Formula 5W-40 Improved Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: MB-Approval 229.51 • Porsche A40
Use in vehicles that require ACEA C3 • API SN/SM/CF.. • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • VW/Audi 502.00/505.01

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQTC	EA	(1) 946-ml Bottle	12.45	15.30
AFLQTC	CA	(12) 946-ml Bottles	141.75	182.40
AFL1GC	EA	(1) 3.78-litre Bottle	48.30	59.55
AFL1GC	CA	(4) 3.78-litre Bottles	184.00	236.60

European Car Formula 0W-40 Classic Emissions System Protection Synthetic Motor Oil

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQTC	EA	(1) 946-ml Bottle	11.25	13.90
EFOQTC	CA	(12) 946-ml Bottles	128.55	165.60

European Car Formula 5W-40 Classic Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00
Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • Renault 0710, 0700

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQTC	EA	(1) 946-ml Bottle	9.00	11.15
EFMQTC	CA	(12) 946-ml Bottles	102.70	132.60
EFM1GC	EA	(1) 3.78-litre Bottle	35.20	43.50
EFM1GC	CA	(4) 3.78-litre Bottles	134.00	172.40

BUILD IT. CRUISE IT.

○ Assembly Lube

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 118-ml Tube	9.65	12.20
EALTB	CA	(12) 118-ml Tubes	110.25	145.20

● Break-In Oil

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQTC	EA	(1) 946-ml Bottle	8.80	10.85
BRKQTC	CA	(12) 946-ml Bottles	100.20	129.00

Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQTC	EA	(1) 946-ml Bottle	11.50	14.15
ZRTQTC	CA	(12) 946-ml Bottles	131.05	168.60

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQTC	EA	(1) 946-ml Bottle	11.95	14.70
ZRFQTC	CA	(12) 946-ml Bottles	136.10	175.20

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

OFFICIAL OIL

HOT AUGUST NIGHTS®

CARLISLE Events

"AMSOIL products are the best on the market and definitely give us an added performance factor."

Bryce Menzies
Professional Off-Road Driver

DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	(1) 946-ml Bottle	14.15	17.40
RD20QT	CA	(12) 946-ml Bottles	161.30	207.60

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	(1) 946-ml Bottle	13.75	16.95
RD30QT	CA	(12) 946-ml Bottles	156.90	202.20

15W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	EA	(1) 946-ml Bottle	14.40	17.75
RD50QT	CA	(12) 946-ml Bottles	164.45	211.80

SAE 60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	(1) 946-ml Bottle	14.85	18.30
RD60QT	CA	(12) 946-ml Bottles	169.50	218.40

OFFICIAL OIL OF OFFICIAL

2020 King of the Hammers — the ultimate desert race

AMSOIL SPRINT CAR NATIONAL CHAMPIONSHIP

AMSOIL NWDC

ARA AMERICAN RALLY ASSOCIATION

20W-50 Synthetic Competition Diesel Oil

Delivers 50% more film thickness[Q] to withstand high cylinder pressures and protect against wear.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DC01G	EA	(1) 3.78-litre Bottle	47.05	58.00
DC01G	CA	(4) 3.78-litre Bottles	179.15	230.40

[Q]Compared to the 3.5 cP HTHS limit for SAE 15W-40.

AMSOIL Fights Wear

AMSOIL delivers **powerful engine protection**. How good is it? In independent testing compared to a leading brand, AMSOIL provided long-lasting wear protection, **keeping cylinder liners looking like new**.[DD]

[DD]Based on independent testing of AMSOIL 5W-30 Signature Series Max-Duty Synthetic Diesel Oil and a leading conventional 15W-40 diesel oil using the Detroit Diesel® DD13 Scuffing test for specification DFS 93K222. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.[1] Delivers up to 60% better turbo cleanliness[J] and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.[K]

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	(1) 946-ml Bottle	12.15	15.00
DHDQT	CA	(12) 946-ml Bottles	138.60	178.80
DHD1G	EA	(1) 3.78-litre Bottle	47.70	58.80
DHD1G	CA	(4) 3.78-litre Bottles	181.65	233.60

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1GC	EA	(1) 3.78-litre Bottle	44.45	54.85
DTT1GC	CA	(4) 3.78-litre Bottles	169.30	217.80

0W-40

Delivers 4X better cold-temperature performance[EE]

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	EA	(1) 946-ml Bottle	11.75	14.50
DZFQT	CA	(12) 946-ml Bottles	134.20	172.80
DZF1GC	EA	(1) 3.78-litre Bottle	46.10	56.85
DZF1GC	CA	(4) 3.78-litre Bottles	175.60	225.80

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQTC	EA	(1) 946-ml Bottle	11.70	14.45
DEOQTC	CA	(12) 946-ml Bottles	133.60	177.20
DEO1GC	EA	(1) 3.78-litre Bottle	45.90	56.60
DEO1GC	CA	(4) 3.78-litre Bottles	174.75	244.80
DEOTPC	EA	(1) 9.45-litre Bottle	113.20	137.60
DEOTPC	CA	(2) 9.45-litre Bottles	215.60	273.20

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQTC	EA	(1) 946-ml Bottle	11.55	14.25
DMEQTC	CA	(12) 946-ml Bottles	131.70	169.80
DME1GC	EA	(1) 3.78-litre Bottle	45.10	55.65
DME1GC	CA	(4) 3.78-litre Bottles	171.80	221.00
DMETPC	EA	(1) 9.45-litre Bottle	111.25	135.25
DMETPC	CA	(2) 9.45-litre Bottles	211.90	268.50

[J]Vs AMSOIL Heavy-Duty Diesel Engine Oil in the CAT C13 2nd Ring Top Land Carbon test. [K]Based on industry standard testing using the NMMA FC-W Rust Test.
[1]than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation.
[EE]When compared to SAE 15W-40 in ASTM D5293 Cold Cranking Viscosity Test.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Heavy-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.[1] Provides up to 66% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

○ 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQTC	EA	(1) 946-ml Bottle	7.75	9.60
ADNQTC	CA	(12) 946-ml Bottles	88.20	114.00
ADNTPC	EA	(1) 9.45-litre Bottle	73.40	89.55
ADNTPC	CA	(2) 9.45-litre Bottles	139.80	177.10

● 5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQTC	EA	(1) 946-ml Bottle	8.20	10.10
ADOQTC	CA	(12) 946-ml Bottles	93.25	120.00
ADO1GC	EA	(1) 3.78-litre Bottle	31.80	39.30
ADO1GC	CA	(4) 3.78-litre Bottles	121.00	155.60
ADOTPC	EA	(1) 9.45-litre Bottle	78.05	95.15
ADOTPC	CA	(2) 9.45-litre Bottles	148.60	188.30

● 15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQTC	EA	(1) 946-ml Bottle	7.80	9.65
ADPQTC	CA	(12) 946-ml Bottles	88.85	114.60
ADP1GC	EA	(1) 3.78-litre Bottle	30.35	37.55
ADP1GC	CA	(4) 3.78-litre Bottles	115.50	148.60
ADPTPC	EA	(1) 9.45-litre Bottle	74.30	90.65
ADPTPC	CA	(2) 9.45-litre Bottles	141.45	179.30

[1]than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 10W-30 as worst-case representation.

Like Series 3000?
Try Signature Series Max-Duty 5W-30 for a serious upgrade. See page 12.

HDD

CI-4+ Synthetic Diesel Oils

Provide outstanding protection for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQTC	EA	(1) 946-ml Bottle	13.15	16.20
HDDQTC	CA	(12) 946-ml Bottles	149.95	193.20
HDD1GC	EA	(1) 3.78-litre Bottle	51.35	63.25
HDD1GC	CA	(4) 3.78-litre Bottles	195.55	251.40

AME

● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQTC	EA	(1) 946-ml Bottle	11.15	13.75
AMEQTC	CA	(12) 946-ml Bottles	127.30	163.80
AME1GC	EA	(1) 3.78-litre Bottle	43.50	53.70
AME1GC	CA	(4) 3.78-litre Bottles	165.70	213.20
AMETPC	EA	(1) 9.45-litre Bottle	107.30	130.45
AMETPC	CA	(2) 9.45-litre Bottles	204.35	258.90

AMO

ARO

Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQTC	EA	(1) 946-ml Bottle	11.75	14.50
AMOQTC	CA	(12) 946-ml Bottles	134.20	172.80

20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQTC	EA	(1) 946-ml Bottle	11.90	14.65
AROQTC	CA	(12) 946-ml Bottles	135.45	174.60

GBS2960

BRIGGS & STRATTON

Briggs & Stratton Synthetic 4T Racing Oil

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	EA	(1) 946-ml Bottle	14.95	19.94
GBS2960	CA	(12) 946-ml Bottles	179.40	239.32

Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oaitesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT401	1 sample kit (UPS Paid)	52.05	62.00
G1206	Oil Suction Pump w/10-ft. hose	34.85	36.50
G1571	Replacement Hose 25-ft.	11.00	11.50

Oil Analyzers INC.

SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QTC	EA	(1) 946-ml Bottle	12.80	16.95
AUV40QTC	CA	(12) 946-ml Bottles	146.20	202.20

5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QTC	EA	(1) 946-ml Bottle	12.75	16.85
AUV50QTC	CA	(12) 946-ml Bottles	145.55	201.00

AUV40

AUV50

AFF

Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQTC	EA	(1) 946-ml Bottle	13.55	16.65
AFFQTC	CA	(12) 946-ml Bottles	154.35	198.60

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Synthetic ATV/UTV Transmission & Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQTC	EA	(1) 946-ml Bottle	14.40	18.40
AUDTQTC	CA	(12) 946-ml Bottles	164.45	219.60
AUDTPK	EA	(1) 946-ml Easy-Pack	16.60	21.20
AUDTPK	CA	(12) 946-ml Easy-Packs	189.65	253.20

Synthetic ATV/UTV Powertrain Fluid

Purpose-built for transmission/differentials and front drives in Polaris* ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	EA	(1) 946-ml Easy-Pack	15.45	19.70
AUPTPK	CA	(12) 946-ml Easy-Packs	176.28	235.08

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris* UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1	EA	1 kit	41.85	53.90
PK2	EA	1 kit	36.55	47.00
PK3	EA	1 kit	34.50	44.40

PK1

SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QTC	EA	(1) 946-ml Bottle	13.20	17.45
DB40QTC	CA	(12) 946-ml Bottles	150.60	208.20

10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QTC	EA	(1) 946-ml Bottle	14.25	18.85
DB50QTC	CA	(12) 946-ml Bottles	162.55	225.00

10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	(1) 946-ml Bottle	14.60	19.25
DB60QT	CA	(12) 946-ml Bottles	166.35	229.80

SWAP MOTO RACE

AMSOIL delivers confident clutch feel.

AMSOIL provides excellent clutch protection[T]. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



[T]*Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.*

DBTF

Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	EA	(1) 946-ml Bottle	11.50	15.20
DBTFQT	CA	(12) 946-ml Bottles	131.05	181.20

SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

Lightweight #5

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	(1) 946-ml Bottle	15.30	18.85
STLQT	CA	(12) 946-ml Bottles	174.55	225.00
STL05	EA	(1) 18.9-litre Pail	281.60	356.70

Medium #10

Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	(1) 946-ml Bottle	15.05	18.55
STMQT	CA	(12) 946-ml Bottles	172.00	221.40
STM05	EA	(1) 18.9-litre Pail	277.10	351.05

STL

STM

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson* SYN3* for **improved protection** against compensator and transmission gear wear.[BB]



[BB]*Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil purchased on 3/19/19 and Harley-Davidson Screamin' Eagle SYN3 purchased on 3/19/19 in the CEC L45-KRL, ASTM D445 test.*

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

OFFICIAL OIL OFFICIAL

SYNTHETIC V-TWIN MOTORCYCLE OIL

20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQTC	EA	(1) 946-ml Bottle	13.40	16.55
MCVQTC	CA	(12) 946-ml Bottles	153.10	197.40
MCV1GC	EA	(1) 3.78-litre Bottle	52.65	64.90
MCV1GC	CA	(4) 3.78-litre Bottles	200.55	258.00

SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	(1) 946-ml Bottle	14.15	17.40
MCSQT	CA	(12) 946-ml Bottles	161.30	207.60

20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQTC	EA	(1) 946-ml Bottle	13.30	16.40
MVIQTC	CA	(12) 946-ml Bottles	151.85	195.60

15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	EA	(1) 946-ml Bottle	14.90	19.00
MSVQT	CA	(12) 946-ml Bottles	170.10	226.80

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQTC	EA	(1) 946-ml Bottle	14.80	18.90
MVTQTC	CA	(12) 946-ml Bottles	168.85	225.60

Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQTC	EA	(1) 946-ml Bottle	13.10	16.70
MVPQTC	CA	(12) 946-ml Bottles	149.35	199.20

SYNTHETIC METRIC MOTORCYCLE OIL

10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQTC	EA	(1) 946-ml Bottle	13.35	16.45
MCFQTC	CA	(12) 946-ml Bottles	152.50	196.20
MCF1GC	EA	(1) 3.78-litre Bottle	52.10	64.20
MCF1GC	CA	(4) 3.78-litre Bottles	198.45	255.20

10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	EA	(1) 946-ml Bottle	12.95	15.90
MCTQT	CA	(12) 946-ml Bottles	147.45	189.60

15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati*, BMW, KTM*, Yamaha, Triumph and Royal Enfield* motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MFFQT	EA	(1) 946-ml Bottle	14.80	18.90
MFFQT	CA	(12) 946-ml Bottles	168.85	225.60

V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson* motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, AMSOIL Motorcycle Oil Filter and O-ring.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDCK	EA	1 kit	74.40	95.75
HDBK	EA	1 kit	71.10	91.45
HDMC	EA	1 kit	88.30	113.55
HDMB	EA	1 kit	84.60	108.75

FITMENT INFO:

HDCK, HDBK: most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

HDMC, HDMB: most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)

WCT

WCF

• Outboard • Inboard
• InboardOutboard (I/O) • Watercraft

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

WCM

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQTC	EA	(1) 946-ml Bottle	11.50	14.15
WCTQTC	CA	(12) 946-ml Bottles	131.05	168.60

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQTC	EA	(1) 946-ml Bottle	12.45	15.30
WCFQTC	CA	(12) 946-ml Bottles	141.75	182.40

25W-40 (Synthetic Blend)

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQTC	EA	(1) 946-ml Bottle	9.65	12.20
WCMQTC	CA	(12) 946-ml Bottles	110.25	145.20

RUNS ON FREEDOM®

RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at amsoil.com/freedom.

Pete Maina
Pro Fisherman

LOW TOXICITY TESTED

HPM

HP Marine™ Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQTC	EA	(1) 946-ml Bottle	10.75	13.30
HPMQTC	CA	(12) 946-ml Bottles	122.85	158.40
HPM1GC	EA	(1) 3.78-litre Bottle	41.70	51.45
HPM1GC	CA	(4) 3.78-litre Bottles	158.80	204.20

OUTSTANDING PROTECTION FOR LOWER UNITS

Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.[V] Choose the easy-pack for fast, easy installation.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	EA	(1) 296-ml Tube	8.05	10.20
AGMTB	CA	(6) 296-ml Tubes	46.00	60.60
AGMQTC	EA	(1) 946-ml Bottle	13.20	16.25
AGMQTC	CA	(12) 946-ml Bottles	150.60	193.80
AGMPK	EA	(1) 946-ml Easy-Pack	15.40	18.95
AGMPK	CA	(12) 946-ml Easy-Packs	175.80	226.20
AGM05	EA	(1) 18.9-litre Pail	244.10	309.25

Marine Gear Lube Pump

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK #	P.C. PRICE	FULL PRICE
G3456	13.40	14.05

OFFICIAL OIL OFFICIAL

Waters & Woods
John Gillespie's

Midwest Fishing Report
AMSOIL

www.amsoil.com/mfr

[V]Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.

RUNS ON FREEDOM
Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at **amsoil**.com/freedom.

AIO

Synthetic 2-Stroke Injector Oil

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQTC	EA	(1) 946-ml Bottle	9.30	11.75
AIOQTC	CA	(12) 946-ml Bottles	105.85	139.80
AIO1GC	EA	(1) 3.78-litre Bottle	35.85	45.40
AIO1GC	CA	(4) 3.78-litre Bottles	136.50	180.00

AIT

MAXIMUM RELIABILITY

INTERCEPTOR® Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQTC	EA	(1) 946-ml Bottle	12.10	14.90
AITQTC	CA	(12) 946-ml Bottles	138.00	177.60
AIT1GC	EA	(1) 3.78-litre Bottle	46.95	57.85
AIT1GC	CA	(4) 3.78-litre Bottles	178.75	229.80

Meets the performance requirements of Polaris®, Arctic Cat® and Ski-Doo® two-stroke snowmobiles.

AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles of abuse.[CC]

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.

AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.

*[CC]Based upon use of a new 2019 Polaris® RMK® 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

Lincoln Lemieux
Team AMSOIL
Scheuring Speed Sports

TDR

MAXIMUM
PERFORMANCE

DOMINATOR® Synthetic 2-Stroke Racing Oil

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQTC	EA	(1) 946-ml Bottle	12.65	15.60
TDRQTC	CA	(12) 946-ml Bottles	144.30	186.00
TDR1GC	EA	(1) 3.78-litre Bottle	49.20	60.65
TDR1GC	CA	(4) 3.78-litre Bottles	187.35	241.00

AMSOIL CHAMPIONSHIP SNOCROSS RAM

TCC

Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCCNC	EA	(1) 473-ml Bottle	11.40	14.70
TCCCNC	CA	(6) 473-ml Bottles	64.90	87.90
TCC05	EA	(1) 18.9-litre Pail	257.80	326.55

ATP

SABER® Professional Synthetic 2-Stroke Oil

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATPSFC	EA	(1) 189-ml Bottle	4.45	5.75
ATPSFC	CA	(12) 189-ml Bottles	50.40	67.80
ATPBCC	EA	(1) 236-ml Bottle	4.95	6.25
ATPBCC	CA	(12) 236-ml Bottles	56.10	73.80
ATPQTC	EA	(1) 946-ml Bottle	12.75	15.70
ATPQTC	CA	(12) 946-ml Bottles	145.55	187.20

SABER® Ratio™
100:1… 10ml…. 1L

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

SABER Professional Fights Carbon

Equipment using SABER Professional was **96% carbon-free**[N].

AMSOIL SABER Professional
300 Hours
3.8% Screen Blockage

VS.

Leading Oil Brand
45 Hours
98% Screen Blockage

[N]*Based on spark-arrestor testing.*

Click Here to Shop Online Page 25

Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

○ 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AESQT	EA	(1) 946-ml Bottle	9.65	11.95
AESQT	CA	(12) 946-ml Bottles	110.25	142.20

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASEQTC	EA	(1) 946-ml Bottle	9.65	11.95
ASEQTC	CA	(12) 946-ml Bottles	110.25	142.20
ASE05	EA	(1) 18.9-litre Pail	176.05	223.05

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	(1) 946-ml Bottle	10.20	12.60
ASFQT	CA	(12) 946-ml Bottles	116.55	150.00
ASF05	EA	(1) 18.9-litre Pail	186.35	236.05

20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AHFQT	EA	(1) 946-ml Bottle	12.75	15.70
AHFQT	CA	(12) 946-ml Bottles	145.55	187.20
AHF05	EA	(1) 18.9-litre Pail	234.75	297.40

Signature Series Synthetic Automatic Transmission Fluid

Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval – Miles

ATF

Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQTC	EA	(1) 946-ml Bottle	14.45	17.80
ATFQTC	CA	(12) 946-ml Bottles	165.10	212.40
ATFPK	EA	(1) 946-ml Easy-Pack	16.45	20.25
ATFPK	CA	(12) 946-ml Easy-Packs	187.75	241.80
ATFTPC	EA	(1) 9.45-litre Bottle	139.85	169.70
ATFTPC	CA	(2) 9.45-litre Bottles	266.30	337.40

ATL

Fuel-Efficient

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQTC	EA	(1) 946-ml Bottle	15.45	19.05
ATLQTC	CA	(12) 946-ml Bottles	176.40	227.40
ATLPK	EA	(1) 946-ml Easy-Pack	17.65	21.75
ATLPK	CA	(12) 946-ml Easy-Packs	201.60	259.80
ATLTPC	EA	(1) 9.45-litre Bottle	149.30	181.15
ATLTPC	CA	(2) 9.45-litre Bottles	284.35	360.30

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

OTF

OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions.

Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQTC	EA	(1) 946-ml Bottle	9.80	12.05
OTFQTC	CA	(12) 946-ml Bottles	111.55	143.40
OTFTP	EA	(1) 9.45-litre Bottle	94.20	114.60
OTFTP	CA	(2) 9.45-litre Bottles	179.35	227.20

OTL

Fuel-Efficient

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQTC	EA	(1) 946-ml Bottle	9.55	11.80
OTLQTC	CA	(12) 946-ml Bottles	109.00	140.40
OTLTP	EA	(1) 9.45-litre Bottle	92.20	112.20
OTLTP	CA	(2) 9.45-litre Bottles	175.60	222.40

CVT

Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQTC	EA	(1) 946-ml Bottle	14.20	18.10
CVTQTC	CA	(12) 946-ml Bottles	161.95	216.00

DCT

100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	(1) 946-ml Bottle	22.70	29.90
DCTQT	CA	(12) 946-ml Bottles	258.95	357.60

MTG

Synthetic Manual Transmission and Transaxle Gear Lube

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQTC	EA	(1) 946-ml Bottle	18.25	22.45
MTGQTC	CA	(12) 946-ml Bottles	208.55	268.20
MTGPK	EA	(1) 946-ml Easy-Pack	20.35	25.05
MTGPK	CA	(12) 946-ml Easy-Packs	232.50	299.40
MTG05	EA	(1) 18.9-litre Pail	339.65	430.25
MTG55	EA	208-litre Drum	3,522.70	4,126.60

MTF

Synthetic Synchromesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQTC	EA	(1) 946-ml Bottle	15.75	19.35
MTFQTC	CA	(12) 946-ml Bottles	179.55	231.00
MTF05	EA	(1) 18.9-litre Pail	290.35	367.80
MTF55	EA	208-litre Drum	2,926.10	3,427.80

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

ART

● Super Shift® Racing Transmission Fluid

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	(1) 946-ml Bottle	14.10	17.35
ARTQT	CA	(12) 946-ml Bottles	160.65	207.00

ATD



● Torque-Drive® Synthetic Heavy-Duty Automatic Transmission Fluid

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATD1GC	EA	(1) 3.78-litre Bottle	59.45	73.20
ATD1GC	CA	(4) 3.78-litre Bottles	226.40	291.20

ATH

● Synthetic Tractor/Hydraulic Transmission Oil

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	(1) 946-ml Bottle	11.65	14.35
ATHQT	CA	(12) 946-ml Bottles	132.95	171.00
ATH05	EA	(1) 18.9-litre Pail	213.30	270.15
ATH30	EA	113-litre Drum	1,202.90	1,432.00
ATH55	EA	208-litre Drum	2,134.10	2,500.00

SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing. Delivers 20% more cold-temperature protection than required by ASTM D2983.

75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQTC	EA	(1) 946-ml Bottle	17.55	21.60
SVGQTC	CA	(12) 946-ml Bottles	200.35	258.00
SVGPK	EA	(1) 946-ml Easy-Pack	17.55	21.60
SVGPK	CA	(12) 946-ml Easy-Packs	200.35	258.00
SVG05	EA	(1) 18.9-litre Pail	326.75	413.85

80W-90

Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	(1) 946-ml Bottle	12.65	15.60
AGLQT	CA	(12) 946-ml Bottles	144.30	186.00
AGLPK	EA	(1) 946-ml Easy-Pack	14.70	18.10
AGLPK	CA	(12) 946-ml Easy-Packs	167.60	216.00
AGL05	EA	(1) 18.9-litre Pail	230.35	291.80

75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	EA	(1) 946-ml Bottle	18.20	22.40
SVTQT	CA	(12) 946-ml Bottles	207.90	267.60
SVTPK	EA	(1) 946-ml Easy-Pack	20.40	25.10
SVTPK	CA	(12) 946-ml Easy-Packs	233.10	300.00
SVT05	EA	(1) 18.9-litre Pail	338.00	428.20

75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQTC	EA	(1) 946-ml Bottle	20.15	24.75
SVOQTC	CA	(12) 946-ml Bottles	229.95	295.80
SVOPK	EA	(1) 946-ml Easy-Pack	20.15	24.75
SVOPK	CA	(12) 946-ml Easy-Packs	229.95	295.80
SVO05	EA	(1) 18.9-litre Pail	368.25	466.50

SEVERE GEAR® EP
Synthetic Racing Gear Lube

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

● SAE 190

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRNQT	EA	(1) 946-ml Bottle	18.70	23.00
SRNQT	CA	(12) 946-ml Bottles	213.60	274.80
SRN05	EA	(1) 18.9-litre Pail	348.20	441.10

● SAE 250

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	(1) 946-ml Bottle	18.70	23.00
SRTQT	CA	(12) 946-ml Bottles	213.60	274.80
SRT05	EA	(1) 18.9-litre Pail	348.20	441.10

Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 805,000 kilometers as set by equipment manufacturers for over-the-road trucks and heavy equipment.

● 75W-90

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQTC	EA	(1) 946-ml Bottle	14.75	18.15
FGRQTC	CA	(12) 946-ml Bottles	168.25	216.60
FGR05	EA	(1) 18.9-litre Pail	271.65	344.10

● 80W-140

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGO05	EA	(1) 18.9-litre Pail	271.70	344.20
FGO16	EA	60.5-litre Keg	859.35	1,047.60
FGO30	EA	113-litre Drum	1,552.40	1,848.10
FGO55	EA	208-litre Drum	2,769.80	3,244.70



Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	13.90	14.55
Flexible Pour Spout	G1230	0.95	1.00
Nozzle Dispenser Caps (6)	G1242	1.55	1.60

ADA

○ Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: *AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATBC	EA	(1) 118-ml Tube	9.60	12.15
ADATBC	CA	(12) 118-ml Tubes	109.65	144.60



AA*In accordance with industry-standard ISO SO 4548-12.*

Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 24,000 kilometers/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 40,000 kilometers/one year, whichever comes first, in normal service or 24,000 kilometers/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

STOCK#	UNITS	P.C. PRICE	FULL PRICE	STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	EA	22.25	28.00	EAO34	EA	20.45	25.60
EA15K02	EA	22.60	28.35	EA15K35	EA	19.60	24.70
EA15K03	EA	20.70	26.05	EA15K37	EA	16.80	21.15
EA15K04	EA	21.55	27.15	EA15K39	EA	26.45	33.30
EA15K08	EA	22.90	28.85	EAO42	EA	19.80	24.90
EA15K09	EA	20.70	26.20	EA15K43	EA	22.25	28.00
EAO11	EA	19.05	23.90	EA15K49	EA	27.20	34.30
EA15K12	EA	18.65	23.45	EA15K50	EA	18.10	22.80
EA15K13	EA	19.60	24.70	EA15K51	EA	18.60	23.40
EAO15	EA	20.60	25.85	EAO52	EA	20.65	25.90
EA15K16	EA	19.60	24.70	EA15K53	EA	17.40	21.90
EAO17	EA	18.75	23.60	EA15K54	EA	25.00	31.50
EA15K19	EA	19.60	24.70	EAO55	EA	27.90	34.95
EA15K20	EA	20.35	25.55	EAO59	EA	20.15	25.25
EAO23	EA	19.05	23.85	EAO64	EA	19.10	23.90
EAO24	EA	20.70	26.00	EAO80	EA	22.05	27.70
EAO26	EA	22.50	28.20	EA15K88	EA	41.40	51.80
EA15K28	EA	19.60	24.70	EAO98	EA	33.10	41.65
EA15K29	EA	19.75	24.85	EAO99	EA	34.65	43.45
EA15K32	EA	19.45	24.45				

Which filter do I need?

Call 1-800-956-5695 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Oil Filters are available to Preferred Customers by the case. See page 3 for information on becoming a Preferred Customer.

Fill in your vehicle information. Then call 1-800-956-5695 (Monday – Friday, 7 a.m. – 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

Make _____ **Year** _____ **Model** _____ **Engine** _____

VIN _____

Your AMSOIL Oil Filter is Your WIX Oil Filter is _____

Your WIX Air Filter is _____

AMSOIL The First in Synthetics®

More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.

Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.

Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot. Provide an efficiency rating of 99 percent at two microns.

Ea® Universal Air Induction Filters

Available while supplies last

Fit most popular air intake systems on the market, providing improved cold air intake and excellent efficiency for superior engine protection and performance. Cleanable and remain serviceable for long filter life.

Ea Racing Air Filters

Available while supplies last

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.

Ea Pre-Filters

Available while supplies last

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.

Motorcycle Oil Filters

Most efficient filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

GRG

DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	EA	(1) 397-g. Cartridge	13.55	18.00
GRGCR	CA	(10) 397-g. Cartridges	131.80	173.50

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR1CR	EA	(1) 425-g. Cartridge	10.05	13.35
GPOR1CR	CA	(10) 425-g. Cartridges	99.25	128.00

Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR2CR	EA	(1) 425-g. Cartridge	10.50	13.95
GPOR2CR	CA	(10) 425-g. Cartridges	102.90	132.50

GPOR1 GPOR2

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR1CR	EA	(1) 397-g. Cartridge	8.65	11.50
GPTR1CR	CA	(10) 397-g. Cartridges	85.05	109.50

Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR2CR	EA	(1) 397-g. Cartridge	9.35	12.45
GPTR2CR	CA	(10) 397-g. Cartridges	91.90	118.50

GPTR1 GPTR2

GLC

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 397-g. Cartridge	9.05	12.05
GLCCR	CA	(10) 397-g. Cartridges	86.65	114.00
GLC3P	EA	(3) 85-g. Cartridges	11.20	14.85
GLC3P	CA	(30) 85-g. Cartridges	106.60	140.50
GLCGN	EA	Grease Gun Kit	40.30	53.40

GLCGN

GLC3P

GWR

GWR3P

Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GWRCR	EA	(1) 397-g. Cartridge	9.30	12.35
GWRCR	CA	(10) 397-g. Cartridges	89.25	117.50
GWR3P	EA	(3) 85-g. Cartridges	11.95	15.85
GWR3P	CA	(30) 85-g. Cartridges	113.95	150.00

GXC

X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GXCCR	EA	(1) 397-g. Cartridge	12.20	16.20
GXCCR	CA	(10) 397-g. Cartridges	118.15	155.50

GEC

Arctic Synthetic Grease

Provides extreme low-temperature pumpability and superior protection for equipment operating in harsh climates where temperatures drop well below freezing.

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GECCR	EA	(1) 425-g. Cartridge	14.25	18.90
GECCR	CA	(10) 425-g. Cartridges	138.60	178.50

FWG

● Synthetic Fifth-Wheel Grease

Heavy-duty grease that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FWGTB	EA	(1) 296-ml. Tube	10.05	12.70
FWGTB	CA	(12) 296-ml. Tubes	115.30	151.80

AIR

● Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIRBA	EA	(1) 118-ml Bottle	4.70	6.10
AIRBA	CA	(12) 118-ml Bottles	53.55	72.00

ABC

Semi-Synthetic Bar and Chain Oil

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ABCQT	EA	(1) 946-ml Bottle	6.30	7.80
ABCQT	CA	(12) 946-ml Bottles	71.85	92.40
ABC05	EA	(1) 18.9-litre Pail	112.60	142.65

PCI

Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

ISO 46, SAE 20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCIQTC	EA	(1) 946-ml Bottle	13.80	17.00
PCIQTC	CA	(12) 946-ml Bottles	157.50	202.80
PCI05	EA	(1) 18.9-litre Pail	255.30	323.35

ISO 100, SAE 30/40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCKQTC	EA	(1) 946-ml Bottle	14.35	17.70
PCKQTC	CA	(12) 946-ml Bottles	163.80	211.20
PCK05	EA	(1) 18.9-litre Pail	265.00	335.65

UCL

Upper Cylinder Lubricant Gasoline Additive

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCNC	EA	(1) 177-ml Bottle	4.85	6.25
UCLCNC	CA	(12) 177-ml Bottles	55.25	73.27



Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas* and 20 percent more than Sea Foam* for better retention of horsepower and fuel economy.[R]

[R]*Based on independent testing of AMSOIL Upper Cylinder Lubricant, Lucas Upper Cylinder Lubricant and Sea Foam Motor Treatment obtained on 02/13/2019 using the ASTM D6079 modified for use with gasoline. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

INDUSTRY'S MOST
ADVANCED
FORMULATION IMPROVES
FUEL ECONOMY

CPI

● P.i.®

Provides improved fuel mileage up to 5.7% and reduces emissions in gasoline direct-injected and port-fuel-injected engines. Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CPICN	EA	(1) 354-ml Bottle	13.50	16.95
CPICN	CA	(12) 354-ml Bottles	153.75	202.20

Two of the four dirty injectors tested were fouled >15% and another was fouled >10%. After one tank of operation on AMSOIL P.i., all injectors returned to >95% flow.



Intake valve **before** P.i. treatment.

Intake valve **after** P.i. treatment.



Injector spray pattern **before** P.i. treatment.



Injector spray pattern **after** P.i. treatment.

AQS

Addresses Ethanol-Related Performance issues

DIRECTIONS: One bottle treats up to 23 litres for cleanup and up to 45 litres for continued protection. For best results use with every tank.

● Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCNC	EA	(1) 236-ml Bottle	10.30	12.95
AQSCNC	CA	(6) 236-ml Bottles	58.60	77.10

PHASE SEPARATION
Water dyed blue

Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.

AST

Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. 60 ml treats 19 litres of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCNC	EA	(1) 473-ml Bottle	13.10	16.50
ASTCNC	CA	(6) 473-ml Bottles	74.70	98.40

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.[x]



[x]Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.

COB

DOMINATOR® Octane Boost

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 57 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
COBBE	EA	(1) 354-ml Bottle	11.00	13.55
COBBE	CA	(6) 354-ml Bottles	62.70	80.70

MOB

Motorcycle Octane Boost

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 15-23 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCNC	EA	(1) 118-ml Bottle	5.60	6.95
MOBCNC	CA	(12) 118-ml Bottles	63.65	82.20

Superior Cold-Temperature Protection

Provides as much as **18˚C better protection** against cold-temperature gelling than Howes Lubricator Diesel Treat.[M] Plus raises cetane up to 4 points.



ADB

ADS

ADF

UP TO 8%
FUEL ECONOMY IMPROVEMENT

● Diesel All-In-One

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. Protects against injector wear better than Sea Foam*, delivering 2X more diesel fuel lubricity.[Y] 30 ml treats up to 9.46 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBCNC	EA	(1) 473-ml Bottle	11.40	14.35
ADBCNC	CA	(12) 473-ml Bottles	129.80	171.00
ADB05	EA	(1) 18.9-litre Pail	338.05	428.25

● Diesel Injector Clean + Cetane Boost

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSCNC	EA	(1) 473-ml Bottle	13.85	17.45
ADSCNC	CA	(12) 473-ml Bottles	158.15	208.20
ADS05	EA	(1) 18.9-litre Pail	395.55	501.10

● Diesel Injector Clean

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFCNC	EA	(1) 473-ml Bottle	8.85	11.15
ADFCNC	CA	(12) 473-ml Bottles	100.80	132.60
ADF05	EA	(1) 18.9-litre Pail	241.40	305.85

[M]Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above -17.8°C.

[Y]Based upon independent testing of AMSOIL All-In-One obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased on Oct. 25, 2018 in the ASTM D6079 test.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

CCB

● Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. 30 ml treats up to 37.85 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CCBCN	EA	(1) 473-ml Bottle	9.65	12.20
CCBCN	CA	(12) 473-ml Bottles	110.25	145.20
ACB05	EA	(1) 18.9-litre Pail	266.65	337.80

DRC

● Diesel Recovery

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. 30 ml treats up to 3.79 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQTC	EA	(1) 887-ml Bottle	15.00	18.50
DRCQTC	CA	(12) 887-ml Bottles	171.40	220.80

FLSH

● Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCNC	EA	(1) 473-ml Bottle	11.95	15.05
FLSHCNC	CA	(12) 473-ml Bottles	136.10	179.40
FLSH05	EA	(1) 18.9-litre Pail	357.50	452.90

CMP



● Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CMPSC	EA	(1) 208-g. Spray Can	7.30	9.05
CMPSC	CA	(12) 208-g. Spray Cans	83.20	107.40

ANT

● Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 241,000 kilometers or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,609,344 kilometers, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	(1) 3.78-litre Bottle	39.30	48.70
ANT1G	CA	(4) 3.78-litre Bottles	149.55	193.20

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	16.15	16.90
G1165	EA	6 Strips	6.00	6.30

RDCB

● DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	EA	(1) 473-ml Bottle	13.30	16.75
RDCBCN	CA	(6) 473-ml Bottles	75.95	99.90

FLP

Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBAC	EA	(1) 118-ml Bottle	10.30	13.60
FLPBAC	CA	(12) 118-ml Bottles	117.20	162.00

"It's a great product to keep your firearms/shotguns in great working order & protect from our harsh weather elements."

– Steve
Pratts Fork, Ohio

PSF

Multi-Vehicle Synthetic Power Steering Fluid

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCNC	EA	(1) 473-ml Bottle	8.65	10.90
PSFCNC	CA	(12) 473-ml Bottles	98.30	129.60

Fluid Extraction Pump

STOCK#	P.C. PRICE	FULL PRICE
G2576	20.95	21.95

Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-956-5695 (Monday - Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).

Donaldson® Filtration Solutions

MANN FILTER

WIX FILTERS

The Company of **FIRSTS**

More than 45 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of "extended drain intervals" with a recommended 25,000-mile/12-month drain interval.

FIRST synthetic gear lube for automotive use.

FIRST synthetic motor oil for diesel engines.

FIRST synthetic motor oil for racing engines.

FIRST synthetic motor oil for turbocharged engines.

FIRST synthetic motor oil for marine engines.

FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.

The First in Synthetics®

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR

(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-956-5695. Credit card orders only.

Referral # 496466